

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4848	storage with cost\$1 with size	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 22:49
L2	222	1 and (conver\$5 with cost\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 22:49
L3	38	2 and ((transfer\$4 or transmission) with cost\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 22:50
L4	1	3 and (database with (polic\$4 or rule\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 22:50
L5	45443	storage near\$5 cost\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 22:51
L6	6175	"51" and (conver\$5 near\$5 cost\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 22:51
L7	656	5 and (conver\$5 near\$5 cost\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 22:51

L8	91	7 and ((transfer\$4 or transmission) with cost\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 22:51
L9	57	7 and ((transfer\$4 or transmission) near5 cost\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 22:51
L10	4	9 and (database with (polic\$4 or rule\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 22:51
L11	13	9 and scan\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 22:52
L12	43	9 not (10 or 11)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 22:54
L13	7310	storage near5 cost\$1 near5 (document\$1 or data or file\$1 or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:02
L14	53	13 and (conver\$5 near5 cost\$1 near5 (document\$1 or data or file\$1 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:02
L15	11	14 and ((transfer\$4 or transmission) near5 cost\$1 near5 (document\$1 or data or file\$1 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:02

L16	3464	size near5 cost\$1 near5 (document\$1 or data or file\$1 or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:03
L17	8262	storage near5 (constraint\$1 or cost\$1) near5 (document\$1 or data or file\$1 or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:04
L18	20968	storage near5 (constraint\$1 or cost\$1 or criteria or condition) near5 (document\$1 or data or file\$1 or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:04
L19	314	18 and (conver\$5 near5 (constraint\$1 or cost\$1 or criteria or condition) near5 (document\$1 or data or file\$1 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:04
L20	49	19 and ((transfer\$4 or transmission) near5 (constraint\$1 or cost\$1 or criteria or condition) near5 (document\$1 or data or file\$1 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:05
L21	3	20 and (database with (police\$4 or rule\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:05
L22	8398	storage near5 (constraint\$1 or cost\$1 or tradeoff\$1 or trade-off\$1) near5 (document\$1 or data or file\$1 or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:06
L23	21100	storage near5 (constraint\$1 or cost\$1 or criteria or condition or tradeoff\$1 or trade-off\$1) near5 (document\$1 or data or file\$1 or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:06

L24	314	23 and (conver\$5 near5 (constraint\$1 or cost\$1 or criteria or condition or tradeoff\$1 or trade-off\$1) near5 (document\$1 or data or file\$1 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:07
L25	2457	23 and ((transfer\$4 or transmit\$4 or transmission) near5 (constraint\$1 or cost\$1 or criteria or condition or tradeoff\$1 or trade-off\$1) near5 (document \$1 or data or file\$1 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:07
L26	71	24 and ((transfer\$4 or transmit\$4 or transmission) near5 (constraint\$1 or cost\$1 or criteria or condition or tradeoff\$1 or trade-off\$1) near5 (document \$1 or data or file\$1 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:07
L27	6	26 and (database with (polic\$4 or rule\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:08
L28	24	26 and ((polic\$4 or rule \$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:09
L29	18	28 not 27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:09
L30	13904	storage near5 (constraint\$1 or cost\$1 or criteria or rule or policy or tradeoff\$1 or trade-off\$1) near5 (document\$1 or data or file\$1 or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:15

L31	365	30 and (conver\$5 near5 (constraint\$1 or cost\$1 or criteria or rule or policy or tradeoff\$1 or trade-off\$1) near5 (document\$1 or data or file\$1 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:15
L32	1405	30 and ((transfer\$4 or transmit\$4 or transmission) near5 (constraint\$1 or cost\$1 or criteria or rule or policy or tradeoff\$1 or trade-off\$1) near5 (document\$1 or data or file\$1 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:16
L33	75	31 and ((transfer\$4 or transmit\$4 or transmission) near5 (constraint\$1 or cost\$1 or criteria or rule or policy or tradeoff\$1 or trade-off\$1) near5 (document\$1 or data or file\$1 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:16
L34	54	33 not 26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:16
L35	7310	storage near5 (cost\$1) near5 (document\$1 or data or file\$1 or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:40
L36	53	35 and (conver\$5 near5 (cost\$1) near5 (document\$1 or data or file\$1 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:40
L37	15	36 and ((transfer\$4 or transmit\$4 or transmission) near5 (cost\$1) near5 (document\$1 or data or file\$1 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:41

L38	1704	(first or source) with (destination or target or second) with (criteria or profile) with conver\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:58
L39	18	(first or source) with (destination or target or second) with (criteria or profile) with conver\$5 with (policy or rule\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:59
L40	18	(first or source) with (destination or target or second) with (criteria or profile) with conver\$5 with (policy\$4 or rule\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 23:59
L41	444	(first or source) with (destination or target or second) with (criteria or profile) with conver\$5 with (document\$1 or file\$1 or image\$1 or information or photograph\$1 or photo\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 00:01
L42	1	41 and ((rule\$1 or policy\$4) same cost\$1 same (tradeoff\$1 or trade-off\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 00:02
L43	26	41 and (cost\$1 same (tradeoff\$1 or trade-off\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 00:02
L44	26	41 and (cost\$1 same (tradeoff\$1 or trade-off\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 00:02
L45	21	44 and (rule\$1 or policy\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 00:03

L46	42	(first or source) near5 (destination or target or second) near5 (criteria or profile) near5 conver\$5 near5 (document\$1 or file\$1 or image\$1 or information or photograph\$1 or photo \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 00:04
L47	8	"6651120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 00:13
L48	2	"6651120".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 00:14
L49	4	"2002057887"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 00:57
L50	926515	conver\$5 with (data or file\$1 or image\$1 or photo\$1 or photograph \$1 or document\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 02:16
L51	5377	50 and ((first or source) with (destination or target or second) with (profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 02:16
L52	749	50 and ((first or source) with (destination or target or second) with (profile) with conver\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 02:17
L53	2	52 and (garbage with collection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 02:17

L54	1	53 and ((remov\$4 or garbage or delet\$4 or eras\$3) with (document \$1 or image\$1 or file\$1 or data or photo\$1 or photograph\$1 or information or conver \$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 02:20
L55	1912	51 and ((remov\$4 or garbage or delet\$4 or eras\$3) with (document \$1 or image\$1 or file\$1 or data or photo\$1 or photograph\$1 or information or conver \$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 02:20
L56	5377	51 and ((first or source) with (destination or target or second) with (profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 02:21
L57	1912	56 and ((remov\$4 or garbage or delet\$4 or eras\$3) with (document \$1 or image\$1 or file\$1 or data or photo\$1 or photograph\$1 or information or conver \$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 02:21
L58	138	57 and thumbnail\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 02:21
L59	708174	conver\$5 near5 (data or file\$1 or image\$1 or photo\$1 or photograph \$1 or document\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 02:25
L60	1708	59 and ((first or source) near5 (destination or target or second) near5 (profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 02:26

L61	480	60 and ((remov\$4 or garbage or delet\$4 or eras\$3) near5 (document\$1 or image \$1 or file\$1 or data or photo\$1 or photograph \$1 or information or conver\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 02:26
L62	9	61 and thumbnail\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/13 02:27
S1	2	"6185625".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 17:35
S2	2	"20020057441"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 19:18
S3	2	"6362836".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 19:18
S4	2	"20040054972"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:00
S5	71741	information near2 management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:00
S6	370	information near2 management near2 physical\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:01
S7	4	(information near2 management near2 physical\$3) with document\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:03

S8	926	information near2 management near2 document\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:03
S9	159	S8 and source and destination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:03
S10	74	S9 and convert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:05
S11	54	S10 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:06
S13	6302	data adj management adj system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 17:41
S14	846	S13 and (image near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 17:41
S15	161	S14 and (((image adj source) or camera or scanner or video) near3 (image adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 17:55
S16	47897	source near3 destination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 17:43
S17	3	S15 and (source near3 destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 17:44
S18	29	S15 and (convert\$4 near3 (image adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 18:06

S19	277	physical\$3 near2 manag \$4 near2 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:34
S20	99	S19 and (data adj management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:34
S21	20	S20 and (image adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:34
S22	1	S21 and (client near2 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:35
S23	5836	data adj presentation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:35
S24	189	S23 and (document near3 image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:36
S25	10	S24 and (image with thumbnail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:39
S26	2	S24 and (storage near2 rule\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:41
S27	31256	data adj management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:41
S28	1262	S27 and (data near2 presentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:41

S29	1166	S28 and (data near2 stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:42
S30	98	S29 and (stor\$4 near2 (rule\$1 or constraint\$1 or polic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:42
S31	11	S30 and (conver\$4 near2 (rule\$1 or constraint\$1 or polic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:43
S32	0	S31 and (transfer\$4 near2 (rule\$1 or constraint\$1 or polic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:43
S33	3	S30 and (transfer\$4 near2 (rule\$1 or constraint\$1 or polic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:44
S34	17	S29 and (conver\$4 near2 (rule\$1 or constraint\$1 or polic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:59
S35	0	S34 and (transfer\$4 near2 (rule\$1 or constraint\$1 or polic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 18:44
S36	10059	(document or data or file or image) adj presentation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:00
S37	371	S36 and (document or data or file or image) adj conversion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:00
S38	826	S36 and (document or data or file or image) near2 converting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:00

S39	2774	S36 and (document or data or file or image) near2 conver\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:01
S40	820	S39 and (stor\$4 near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:01
S41	11	S40 and (storage adj (constraint or policy or rule))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:02
S42	67182	scan\$4 adj (data or image or file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 14:08
S43	8909	S42 and (convert\$4 adj (data or image or file or document or text))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 14:08
S44	5400	S43 and (stor\$4 adj (data or image or file or document or text))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 14:09
S45	1966	S44 and (transfer\$4 adj (data or image or file or document or text))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 14:10
S46	23	S45 and ((various or multiple or many) adj (representation or version))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 14:11
S47	48433	(document or data or image or picture or file) adj (converting or conversion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 10:39
S48	1024	S47 and ((stor\$4 or sav \$4) near2 (converted adj (document or data or image or picture or file)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 10:39

S49	397	S48 and ((transfer\$4 adj (document or data or image or picture or file)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 10:40
S50	0	S49 and ((storage or transfer) adj constraints)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 10:41
S51	0	S49 and ((storage or transfer) near3 constraints)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 10:41
S52	15	S49 and ((storage or transfer) near3 (constraints or limit\$1 or limitation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 10:45
S53	0	S52 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 10:42
S54	60	S49 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 10:47
S55	4	S54 and ((storage or stor\$4 or tranfer\$4) near3 (constraints or limit\$1 or limitation\$1 or rule\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 10:43
S56	2	"6094684".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 18:02
S57	2	"5956029".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 18:02
S60	1094	information near2 management near2 document\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 19:37

S61	186	S60 and source and destination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 19:37
S62	83	S61 and convert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 19:37
S63	62	S62 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 19:37
S64	60	S63 and storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 19:37
S65	2	"6651120".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 19:02
S66	190848	convert\$4 adj2 (document or file or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:24
S67	192	S66 and (storage near3 constraint\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:26
S68	9	S67 and (convert\$4 near3 constraint\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:26
S69	7	S67 and (transfer\$4 near3 constraint\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:25
S70	136	S66 and (transfer\$4 near3 constraint\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:25

S71	136	S70 and (transfer\$4 near3 constraint\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:54
S72	7	S71 and (storage near3 constraint\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:54
S73	9	S68 and (convert\$4 near3 constraint\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:54
S74	1	S72 and (convert\$4 near3 constraint\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:26
S75	7	S71 and (storage near3 (rule\$1 or constraint \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:54
S76	728	S66 and (storage near3 (rule\$1 or constraint \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:54
S77	111	S76 and (convert\$4 near3 (rule\$1 or constraint\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:54
S78	6	S77 and (transfer\$4 near3 (rule\$1 or constraint\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:55
S79	245194	convert\$4 adj3 (document or file or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:25
S80	325069	convert\$4 adj3 (document or file or data or picture or image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:25

S81	437	S80 and (storage adj3 (rule\$1 or constraint \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:26
S82	4	S81 and (transfer adj3 (rule\$1 or constraint \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:26
S83	2	S82 and (conver\$4 adj3 (rule\$1 or constraint\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:27
S84	672	S80 and (storage near2 (rule\$1 or constraint \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:26
S85	9	S84 and (transfer near2 (rule\$1 or constraint\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:27
S86	5	S85 and (conver\$4 near2 (rule\$1 or constraint\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:28
S87	2	"5708828".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:32
S88	172197	image near3 conver\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:32
S89	5520	S88 and (conver\$4 near3 (rule or parameter or constraint or condition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:33
S90	431	S89 and (storage near3 (rule or parameter or constraint or condition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:33

S91	26	S90 and (transfer near3 (rule or parameter or constraint or condition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:04
S92	24591	storage adj (constraint \$1 or rule or parameter or condition)\	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:04
S93	24591	storage adj (constraint \$1 or rule or parameter or condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:05
S94	80	S93 and ((convert\$4 or convers\$4) adj (constraint\$1 or rule or parameter or condition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:07
S95	7	S94 and (transfer\$4 adj (constraint\$1 or rule or parameter or condition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:06
S96	9	S94 and (image adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:08
S97	49830	convert\$4 adj image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:09
S98	99	S97 and ((convert\$4 or convers\$4) adj (rule\$1 or constraint\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:29
S99	122	S97 and ((convert\$4 or convers\$4) adj (rule\$1 or constraint\$1 or limit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:30
S100	0	S99 and (storage adj (rule\$1 or constraint\$1 or limit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:29

S101	24	S97 and (storage adj (rule\$1 or constraint\$1 or limit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:29
S102	213	S97 and (storage near2 (rule\$1 or constraint\$1 or limit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:29
S103	8	S102 and ((convert\$4 or convers\$4) near2 (rule\$1 or constraint\$1 or limit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:49
S104	0	S103 and (transfer near2 (rule\$1 or constraint\$1 or limit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:30
S105	395687	convert\$4 near3 (data or document or image or file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:50
S106	103	S105 and (storage adj (constraint or rule))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:50
S107	2	S106 and (transfer\$4 adj (rule or constraint))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 18:51
S108	387604	conver\$4 near2 (data or file or document or image or picture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:06
S109	5246	S108 and (storage near2 (rule\$1 or constraint\$1 or requirement\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:52
S110	257	S109 and (conver\$4 near2 (rule\$1 or constraint\$1 or requirement\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:50

S111	8	S110 and (transfer\$2 near2 (rule\$1 or constraint\$1 or requirement\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:50
S112	6587	S108 and (storage near2 (rule\$1 or constraint\$1 or requirement\$1 or cost))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:50
S113	334	S112 and (conver\$4 near2 (rule\$1 or constraint\$1 or requirement\$1 or cost))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:50
S114	9	S113 and (transfer\$2 near2 (rule\$1 or constraint\$1 or requirement\$1 or cost))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:51
S115	9910	S108 and (storage near2 (rule\$1 or constraint\$1 or requirement\$1 or availab\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:52
S116	5555	S108 and (storage near2 availab\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:56
S117	175	S116 and (conver\$4 near2 availab\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:53
S118	9	S117 and (transfer\$2 near2 availab\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:53
S119	850	S108 and (storage near2 (verify or check))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:57
S120	63	S119 and (conver\$4 near2 (verify or check))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:57

S121	76	S119 and (conver\$4 near3 (verify or check))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:58
S122	103	S119 and (transfer\$3 near3 (verify or check))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:58
S123	34	S121 and (transfer\$3 near3 (verify or check))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:00
S124	180	S108 and (cost near2 metric\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:00
S125	252	(conver\$4 near2 (data or file or document or image or picture)) same ((user or client) near2 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:15
S126	2	S125 and (conver\$4 near3 cost)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:18
S127	0	S125 and (storage adj2 cost)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:18
S128	0	S125 and (storage adj3 cost)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:18
S129	1252	S108 and (storage adj3 cost)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:18
S130	343	S108 and (transfer adj3 cost)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:19

S131	1060	S108 and (conver\$4 adj3 cost)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:19
S132	24	S129 and (conver\$4 adj3 cost)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:19
S133	1	S132 and (transfer adj3 cost)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:20
S134	15	S129 and (transfer adj3 cost)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:20
S135	2338	idiosyncratic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 11:56
S136	1	idiosyncratic with destination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 11:56
S137	20	idiosyncratic with profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 22:36
S138	10871	generat\$4 with (data or document) with profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 22:48
S139	3393	generat\$4 near3 (data or document) near3 profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 22:48
S140	359	S139 and (receiv\$4 near3 (data or document) near3 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 22:49

S141	5	S140 and idiosyncratic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 22:49
S142	33	S140 and (convert\$4 near3 (data or document) near3 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 22:53
S143	21	source with receive\$3 with (destination near3 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 22:59
S144	495203	(document or data or image or picture) near3 convert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:01
S145	54	S144 and (convert\$4 with source with destination with profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:10
S146	42078	"54" and ((storage or convert\$4) near3 (condition or constraint))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:11
S148	10	S145 and ((storage or convert\$4) near3 (condition or constraint))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:11
S149	120	S144 and (convert\$4 with destination with profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:15
S150	3	S149 and ((storage) near3 (condition or constraint or requirement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:16
S151	977	S144 and (destination with profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:17

S152	394	S144 and (destination near3 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:17
S153	200	S152 and (source near3 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:18
S154	10	S153 and ((storage) near3 (condition or constraint or requirement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:18
S155	0	conver\$4 with data with according with profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:21
S156	1183	conver\$4 near3 (data or file or image or picture or photo or file or document) near3 profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:22
S157	401	S156 and ((first or client or source) near3 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:22
S158	252	S157 and ((server or destination or second) near3 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:23
S159	0	S158 and idiosyncratic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:23
S160	38	S158 and (conver\$4 near3 (requirement or condition or constraint))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:24
S161	2	S160 and (storage near3 (constraint or condition or requirement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 10:24

S162	7	server with (source near3 profile) with (destination near3 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 15:03
S163	5469	rule adj3 base	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/09 10:56
S164	13	S163 and (dynamic near3 (tradeoff or trade-off))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/09 10:57
S165	1	S164 and scanner	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/09 10:57

10/ 13/ 2009 2:52:55 AM

C:\Documents and Settings\rmahmood\My Documents\EAST\Workspaces\10654487.wsp